



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

*Epidemic dengue reported at Nuevo Laredo, suspect yellow fever.*LAREDO, TEX., *September 15, 1903.*WYMAN, *Washington:*

The local authorities report epidemic dengue, Nuevo Laredo, Mexico. Physician died yesterday with black vomit; sick five days. Had jaundice. Necropsy to-day. Present, State quarantine officer, U. S. Army surgeon, the health officer of Laredo, the local board of health, self. Diagnosis, suspicious yellow fever; another person urine contains albumin and bile; another urine contains albumin, both jaundice. Is very suspicious; have quarantined. State health officer and chief U. S. Army surgeon Department of Texas, will be here to-morrow. Think the disease was introduced by person from Victoria, Mexico. Shall have a consultation and will advise you of result.

HAMILTON.

*Precautions against importation of yellow fever—Camp equipment.*WASHINGTON, *September 16, 1903.*HAMILTON, *Laredo, Tex.:*

Have wired State health officer that you will cooperate. Will order sent you by freight to-day tentage and camp equipage for 100 people. This simply by way of anticipation. Service officers also will be ordered as preventive against emergency, but you will retain your present duties if they come.

WYMAN.

WASHINGTON, *September 16, 1903.*HUME, *Eagle Pass, Tex.:*

Have wired State health officer you will cooperate with him. Wire requisition for any additional equipment or help needed.

WYMAN.

Statistical reports of States and cities of the United States—Yearly and monthly.

CALIFORNIA—*Fresno.*—Month of August, 1903. Estimated population, 18,000. Total number of deaths, 23, including 1 from enteric fever.

Los Angeles.—Month of August, 1903. Estimated population, 135,000. Total number of deaths, 214, including diphtheria 3, enteric fever 5, measles 1, whooping cough 2, and 38 from tuberculosis.

Stockton.—Month of April, 1903. Estimated population, 28,000. Total number of deaths, 23, including enteric fever 1, and 11 from tuberculosis.

FLORIDA—*Tampa.*—Month of August, 1903. Estimated population, 20,000. Total number of deaths, 15, including 4 from tuberculosis.

GEORGIA—*Augusta*.—Month of August, 1903. Estimated population, 42,441. Total number of deaths 59, including enteric fever 4, whooping cough 1, and 1 from tuberculosis.

Columbus.—Month of August, 1903. Estimated population, 19,303—white, 10,276; colored, 9,027. Total number of deaths, 34—white, 13; colored, 20—including whooping cough 1, and 2 from phthisis pulmonalis.

Macon.—Month of August, 1903. Estimated population, 28,000—white, 15,000; colored, 13,000. Total number of deaths, 24—white, 9; colored, 15—including enteric fever 1, and 2 from phthisis pulmonalis.

ILLINOIS—*Peoria*.—Month of August, 1903. Census population, 56,100. Total number of deaths, 71, including diphtheria 2 and 5 from tuberculosis.

Rockford.—Month of August, 1903. Estimated population, 40,000. Total number of deaths, 29, including 1 from enteric fever.

MASSACHUSETTS—*Newton*.—Month of August, 1903. Estimated population, 37,794. Total number of deaths, 33, including diphtheria 1, enteric fever 1, whooping cough 2, and 1 from tuberculosis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended September 5, 1903, from 90 observers, indicate that diarrhea, enteric fever, cholera morbus, phthisis pulmonalis, dysentery, pleuritis, inflammation of kidney, cholera infantum, scarlet fever, inflammation of bowels, intermittent fever, whooping cough, remittent fever, diphtheria, and pneumonia were more prevalent and measles was less prevalent than in the preceding week.

Measles was reported present at 16, whooping cough at 19, diphtheria at 30, smallpox at 34, scarlet fever at 38, enteric fever at 85, and phthisis pulmonalis at 214 places.

MINNESOTA—*Winona*.—Month of August, 1903. Estimated population, 23,000. Total number of deaths, 20, including whooping cough 1 and 1 from tuberculosis.

MONTANA—*Helena*.—Month of August, 1903. Estimated population, 13,000. Total number of deaths not reported. No deaths from contagious diseases reported.

NEW HAMPSHIRE—*Concord*.—Month of August, 1903. Estimated population, 20,000. Total number of deaths, 30. No deaths from contagious diseases reported.

Franklin.—Month of August, 1903. Estimated population, 6,000. Total number of deaths, 5, including 1 from tuberculosis.

NEW YORK—*Saratoga*.—Month of August, 1903. Estimated population, 12,119. Total number of deaths, 32, including enteric fever 3 and 1 from tuberculosis.

NORTH DAKOTA—*Bismarck*.—Month of July, 1903. Census population, 3,319. Total number of deaths, 6. No deaths from contagious diseases.

Month of August, 1903. Total number of deaths, 4. No deaths from contagious diseases.

OHIO—*Cincinnati*.—Month of July, 1903. Estimated population, 336,000. Total number of deaths, 617, including diphtheria 5, enteric fever 10, scarlet fever 2, whooping cough 2, and 79 from tuberculosis.

PENNSYLVANIA—*Dunmore*.—Month of August, 1903. Estimated population, 15,000. Total number of deaths, 12. No deaths from contagious diseases reported.

Pottsville.—Month of August, 1903. Estimated population, 15,710. Total number of deaths, 22, including 1 death from diphtheria.

TEXAS—*San Antonio*.—Month of July, 1903. Estimated population, 65,000. Total number of deaths, 156, including diphtheria 4, measles 2, whooping cough 2, and 19 from tuberculosis, of which 9 were of nonresidents.

UTAH—*Ogden*.—Month of August, 1903. Estimated population, 25,000. Total number of deaths, 17, including diphtheria 2, and 3 from enteric fever.

VIRGINIA—*Lynchburg*.—Month of August, 1903. Estimated population, 30,000. Total number of deaths, 28, including smallpox 1, and 1 from phthisis pulmonalis.

Report of immigration at Boston.

OFFICE OF THE COMMISSIONER OF IMMIGRATION,
Port of Boston, September 6, 1903.

Number of alien immigrants who arrived at this port during the week ended September 5, 1903; also names of vessels and ports from which they came.

Date of arrival.	Vessel.	Where from.	Number of immigrants.
Aug. 30	Prince Arthur	Yarmouth, Nova Scotia	293
31	Admiral Schley	Port Morant, Jamaica	5
31	Halifax	Halifax, Nova Scotia	113
31	Bohemian	Liverpool, England	9
Sept. 1	Prince George	Yarmouth, Nova Scotia	69
2	Admiral Farragut	Port Antonio, Jamaica	14
2	Prince Arthur	Yarmouth, Nova Scotia	90
2	Ivernia	Liverpool, England	1,384
3	Prince George	Yarmouth, Nova Scotia	104
3	Olivette	Halifax, Nova Scotia	125
4	Prince Arthur	Yarmouth, Nova Scotia	68
5	Mayflower	Liverpool, England	386
5	Prince George	Yarmouth, Nova Scotia	124
	Total		2,784

GEORGE B. BILLINGS, *Commissioner.*